



BODYWORK CLEANER

Plant-based



7 good reasons to use **VG CAR**

- 1. VG CAR is a bodywork cleaner containing **biodegradable** (*) plant-based ingredients.
- 2. No safety classification required. Protects the health of both users and the environment.
- 3. VG CAR ensures a high degree of efficiency. Cleans, degreases and eliminates road film.
- 4. Totally water-soluble.
- 5. Multi-purpose: Manual use, or with a high-pressure cleaner.
- 6. Economical: Efficient at a weak concentration of 1 to 5 %.
- 7. Complies with legislation on cleaning products for equipment which may come into contact with foodstuffs (Decree dated 08/09/1999 and its amendments).

Particularly suitable for use in









Public buildings

For the cleaning of all types of bodywork, HGVS, cars, coaches, agricultural machinery, construction equipment, boat hulls.

Eliminates mud and sludge, dust, greasy deposits, oils, as well as various types of dirt on bodywork, tarpaulins, chassis, rims.

For cleaning street furniture.

Characteristic

Physical state: fperfumed transparent

amber liquid

Density: 1.05 +/- 0.02 pH neát: 11 +/- 0.5

Contains amongst other ingredients (CE regulation N° 648/2004) : Anionic

surfactants < 5 %

Non-ionic surfactants < 5 %

Fragrance

(*) The surfactants used in the product respect the biodegradability criteria as defined in the CE regulations governing detergents (CE n°648/2004-Annex III, biodegradability measured according to the OECD screening trial test is at least 70 % in 28

For more information, see MSDS.

PULV CAR



Instruction for use

Always use a concentration of 1 to 5%.

Manual cleaning

Apply the solution on the bodywork using a sponge, rub lightly, leave on for two minutes, rinse with clean water using a high-pressure cleaner.

Spraying washing

Using a manual or compressed air sprayer, spray the solution from bottom to top, leave on for a few minutes, rinse using a high-pressure cleaner

Do not apply on hot bodywork or in full sunlight. Do not allow to dry on the surface being cleaned.

For cleaning street furniture: use a concentration of 5 to 10%

STORAGE CONDITIONS

In original closed packaging, protected from the light, extreme cold and heat.

Storage temperature: -5°C to 40°C

GB23012024/2

7 en +

NOVIPLAST: Silicone-free plastic renovater TERSOLV: Degreaser for tar residue

This datasheet supersedes previous documents. The information contained in these data sheets is based on our present knowledge and experience and is given as indication only. Under no circumstances does it engage our responsibility in the event of misuse of our products. Non-contractual photos and images.



Tél 02 97 54 50 00 Www.7darmor.fr

